



nonwoven  
**EMBROIDERY BACKING**



---

[www.sbttextiles.com](http://www.sbttextiles.com) | [raipur@sbttextiles.com](mailto:raipur@sbttextiles.com)

# Product Range

Fabric:

- Chemical Bond Nonwoven
- Thermal Bond Nonwoven

GSM: 23 to 100

Width: 40", 44" & 60"

Fiber Blend:

- Virgin Polyester
- GRS Certified Recycled Polyester
- Viscose
- PVA

Colour: White, Black & Charcoal


# Types of Embroidery Backings



Tear Away



Cut Away



Cold Water  
Soluble

# Cut Away Backing

100 % Polyester

Article	Weight (g/m <sup>2</sup> )
2021	21
2025	25
2030	30
2040	40
2045	45
2060	60
2070	70
2080	80
2090	90
2100	100

# Tear Away Backing

70 % Viscose 30 % Polyester

Article	Weight (g/m <sup>2</sup> )
RV 201	21
RV 251	25
RV 401	40
RV 601	60
RV 801	80
RV 101	100

# Tear Away Backing

100 % Viscose

Article	Weight (g/m <sup>2</sup> )
RV 121	20
RV 151	25

# Water Soluble Backing

100% PVA

Soluble in 20° Wash

Article	Weight (g/m <sup>2</sup> )
WS 25	25
WS 30	30
WS 35	35
WS 40	40
WS 50	50
WS 60	60

# **SBT Textiles Pvt. Ltd.**

**Unit 1:** 589, Urla Industrial Area  
Raipur, Chhattisgarh, India  
Pincode: 493221

**Unit 2:** Plot No 619 and 612 B,  
Urla Industrial Area,  
Raipur, Chhattisgarh, India  
Pincode: 493221

**Unit 3:** Solar Power Plant,  
Chandanu, Dist. Bemetara,  
Chhattisgarh, India  
Pincode: 491335

**Contact:** +91 70009 77174

**Email:** raipur@sbttextiles.com

**Website:** www.sbttextiles.com